




## NEW PTO SERIES 88

The PTO series 88 has been developed in two variants, based on the available power, we can offer two level of torque and internal ratio. Please refer to the below application chart.


This series fits all the rear mounted gearbox:

- MERCEDES
- SCANIA
- VOLVO
- ZF



TECHNICAL SPECIFICATION:		
- internal ratio	1:1,833 (183%)	1:1,32 (132%)
- torque (Nm)	450	500
- max power (Kw)	70	
<b>WEIGHT (kg):</b>	8	9
	pump version	flange version

LUBRICATION KIT FOR CONTINUATIVE USE (longer than 30 minutes):	
MERCEDES - ZF serie ECOMID	KLB12
VOLVO	KLB37
ZF 6S850	KLB40
ZF serie ECOLITE	KLB43
ZF serie AS-TRONIC MID	KLB36



# NEW



GEARBOX TYPE	PTO	HIGH SPEED	LOW SPEED	TORQUE Nm	MOUNTING KIT	ADAPTER KIT
MERCEDES G56-6	88ME	-	1,030	450	K805	-
	88MG	-	0,741	500	K805	-
MERCEDES G85	88MI	-	1,136	450	K428	-
	88MM	-	0,817	500	K428	-
MERCEDES G100	88MA	0,935	0,770	450	K382	-
	88MC	0,672	0,554	500	K382	-
MERCEDES G180	88M1	2,071	1,760	450	K912	K380
	88M3	1,489	1,265	500	K912	K380
MERCEDES G180 +Voith	88M1	2,071	1,760	450	K912	K381
	88M3	1,489	1,265	500	K912	K381
MERCEDES G211-12	88M1	1,888	1,485	450	K912	K652
	88M3	1,358	1,068	500	K912	K652
MERCEDES G211-16	88M1	1,558	1,301	450	K912	K624
	88M3	1,120	0,936	500	K912	K624
MERCEDES G211-16 +Voith	88M1	1,558	1,301	450	K912	K625
	88M3	1,120	0,936	500	K912	K625
MERCEDES G231-16	88M1	1,558	1,301	450	K912	K652
	88M3	1,120	0,936	500	K912	K652
MERCEDES G231-16 +Voith	88M1	1,558	1,301	450	K912	K654
	88M3	1,120	0,936	500	K912	K654
SCANIA GR (Z=25)	88S1	-	2,346	450	K898	-
	88S3	-	1,687	500	K898	-
SCANIA GR (Z=32)	88S1	-	1,833	450	K898	-
	88S3	-	1,318	500	K898	-
SCANIA GRS (Z=25)	88S1	2,896	2,346	450	K898	-
	88S3	2,082	1,687	500	K898	-
SCANIA GRS (Z=32)	88S1	2,273	1,833	450	K898	-
	88S3	1,634	1,318	500	K898	-
SCANIA GRSO (Z=31)	88S1	2,365	1,888	450	K898	-
	88S3	1,700	1,358	500	K898	-
SCANIA GRSO (Z=39)	88S1	1,888	1,503	450	K898	-
	88S3	1,358	1,081	500	K898	-
VOLVO AT	88VI	1,646	1,292	450	K802	-
	88VM	1,184	0,929	500	K802	-
VOLVO SR	88V1	1,613	1,301	450	K267	-
	88V3	1,160	0,936	500	K267	-
VOLVO SR + Intarder	88V5	1,613	1,301	450	K267	-
	88V7	1,160	0,936	500	K267	-

NEW



GEARBOX TYPE	PTO	HIGH SPEED	LOW SPEED	TORQUE Nm	MOUNTING KIT	ADAPTER KIT
VOLVO VT	88VA	1,613	1,301	450	K802	-
	88VC	1,160	0,936	500	K802	-
VOLVO VT + Intarder	88VE	1,613	1,301	450	K802	-
	88VG	1,160	0,936	500	K802	-
ZF 6S850 DT 1,00	88Z2	-	0,770	450	K815	-
	88Z4	-	0,554	500	K815	-
ZF 6S850 OD 0,79	88Z2	-	0,977	450	K815	-
	88Z4	-	0,702	500	K815	-
ZF AS-TRONIC	88Z6	-	2,475	450	K927	K672
	88Z7	-	1,779	500	K927	K672
ZF AS-TRONIC + Intarder	88Z6	-	2,475	450	K927	K672
	88Z7	-	1,779	500	K927	K672
ZF AS-TRONIC + Intarder 3	88Z6	-	1,503	450	K927	K673
	88Z7	-	1,081	500	K927	K673
ZF AS-TRONIC MID 12 AS 1010 TD	88Z1	1,796	1,448	450	K825	K643
	88Z3	1,292	1,041	500	K825	K643
ZF AS-TRONIC MID 12 AS 1420 TD	88Z1	1,796	1,448	450	K825	K651
	88Z3	1,292	1,041	500	K825	K651
ZF AS-TRONIC MID 12 AS 1010 TO 12 AS 1210 TO	88Z1	2,200	1,796	450	K825	K643
	88Z3	1,582	1,292	500	K825	K643
ZF AS-TRONIC MID 12 AS 1420 TO 12 AS 1620 TO	88Z1	2,200	1,796	450	K825	K651
	88Z3	1,582	1,292	500	K825	K651
ZF ECOLITE 6S (AS) 700	88Z5	-	0,969	450	K911	-
	88Z8	-	0,751	500	K911	-
ZF ECOLITE 6S (AS) 800	88Z1	-	0,962	450	K815	-
	88Z3	-	0,692	500	K815	-
ZF ECOLITE 6S (AS) 1000	88Z1	-	0,962	450	K815	-
	88Z3	-	0,692	500	K815	-
ZF ECOMID	88Z1	-	1,778	450	K825	K629
	88Z3	-	1,278	500	K825	K629
ZF ECOSPLIT	88Z6	2,005	1,686	450	K825	K674
	88Z7	1,442	1,213	500	K825	K674
ZF ECOSPLIT + Intarder	88Z6	2,005	1,686	450	K825	K674
	88Z7	1,442	1,213	500	K825	K674

# NEW